FAROLAS LED (LED Street Light)

- Entre un 60% y un 80% de AHORRO ENERGÉTICO en comparación con las farolas tradicionales HPS (Vapor de Sodio) o con las de Vapor de Mercurio.
- Su vida útil es de 3 a 5 veces superior a cualquier otro tipo de farola (HPS, Vapor de Mercurio, HID, Halógenos...).
- La luz es de mejor calidad que la de otras farolas y la reproducción cromática es excelente.
- No precisan mantenimiento.
- Totalmente Ecológicas (no UV, no IR, no plomo, no mercurio, no gases tóxicos).
- Disponibles en luz fría, luz blanca y luz cálida (a elegir en el momento de la compra).

ACLARACIONES:

- Los precios mostrados a continuación son orientativos. El precio definitivo dependerá del número de unidades a adquirir.
- Si necesita otros modelos no presentes en este catálogo contacte a info@abeled.es explicando sus requerimientos.
- Las tarifas mostradas son PVP. Los DISTRIBUIDORES e INSTALADORES se beneficiarán de un 30% de descuento sobre el PVP.



BRIF OF LED STREET LAMP LED Street Light, LED Street Lighting, Model No. LED Street Lamp(CN-01-28W) Power 28W(System Consumption is 28W, Consumption Power Supply consumption is 2W) AC85~265V/DC12V Input Voltage 2520 lm LED Initial Flux Certificated CE, RoHs We suggest to use in 4~5m pole Suggestion street light Warranty 5 years free replacement



LED STREET LIGHT

TAIWAN EVERLIGHT 100LM/W	154,35 €
USA BRIDGELUX 100LM/W	168,20 €

PRICE

PRICE

PRICE

PRICE

Comes with power saving mode to achieve the secondary energy-saving; External constant current drive, easy to operate, easy to maintain; 360° rotatable E40 base; E40 base, easy for replacing traditional light;

LED CHIP BRAND

LED CHIP BRAND

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-01-30W)
Power Consumption	30W(System Consumption is 30W, Power Supply consumption is 2W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	2700 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 4∼5m pole street light
Warranty	5 years free replacement



TAIWAN EVERLIGHT 100LM/W	281,00 €
USA BRIDGELUX 100LM/W	304,74 €

- Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; 360° rotatable E40 base; E40 base, easy for replacing traditional light;

LED CHIP BRAND

LED CHIP BRAND

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-02-15W)
Power Consumption	15W(System Consumption is 17W, Power Supply consumption is 2W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	1350 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 4~5m pole street light
Warranty	5 years free replacement



TAIWAN EVERLIGHT 100LM/W	100,92 €
USA BRIDGELUX 100LM/W	125,85 €
USA CREE 110LM/W	151,18 €

- Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-02-30W)
Power Consumption	30W(System Consumption is 33W, Power Supply consumption is 3W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	3000 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 5∼6m pole street light
Warranty	5 years free replacement



TAIWAN EVERLIGHT 100LM/W	201,84 €
USA BRIDGELUX 100LM/W	252,11 €
USA CREE 110LM/W	302,37 €

- Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-02-40W)
Power Consumption	40W(System Consumption is 40W, Power Supply consumption is 3W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	3600 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 5∼6m pole street light
Warranty	5 years free replacement



LED CHIP BRAND	PRICE
TAIWAN EVERLIGHT 100LM/W	268,73 €
USA BRIDGELUX 100LM/W	336,01 €
USA CREE 110LM/W	403,29 €

- Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-03-50W)
Power Consumption	50W(System Consumption is 50W, Power Supply consumption is 5W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	4500 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 6∼7m pole street light
Warranty	5 years free replacement



TAIWAN EVERLIGHT 100LM/W	336,01 €
USA BRIDGELUX 100LM/W	420,11 €
USA CREE 110LM/W	504,21 €

PRICE

PRICE

PRICE

PRICE

PRICE

- Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

LED CHIP BRAND

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-03-60W)
Power Consumption	60W(System Consumption is 60W, Power Supply consumption is 5W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	5400 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 6∼7m pole street light
Warranty	5 years free replacement



TAIWAN EVERLIGHT 100LM/W	403,29 €
USA BRIDGELUX 100LM/W	504,21 €
USA CREE 110LM/W	605,13 €

- Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-03-70W)
Power Consumption	70W(System Consumption is 70W, Power Supply consumption is 5W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	6300 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 7~8m pole street light
Warranty	5 years free replacement



1	TAIWAN EVERLIGHT 100LM/W	470,57 €
	USA BRIDGELUX 100LM/W	588,11 €
ı	USA CREE 110LM/W	706,05 €

- Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-03-80W)
Power Consumption	80W(System Consumption is 80W, Power Supply consumption is 8W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	7200 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 8∼9m pole street light
Warranty	5 years free replacement



TAIWAN EVERLIGHT 100LM/W	537,85 €
USA BRIDGELUX 100LM/W	672,41 €
USA CREE 110LM/W	806,58 €

Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-03-90W)
Power Consumption	90W(System Consumption is 90W, Power Supply consumption is 9W)
Input Voltage	AC85~265V/DC24V
LED Initial Flux	8100 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 8∼9m pole street light
Warranty	5 years free replacement



TAIWAN EVERLIGHT 100LM/W	603,55 €
USA BRIDGELUX 100LM/W	756,32 €
USA CREE 110LM/W	907,50 €

- Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-03-100W)
Power Consumption	100W(System Consumption is 100W, Power Supply consumption is 10W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	9000 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 8~10m pole street light
Warranty	5 years free replacement



LED CHIP BRAND	PRICE
TAIWAN EVERLIGHT 100LM/W	672,41 €
USA BRIDGELUX 100LM/W	840,22 €
USA CREE 110LM/W	1.008,42€

- Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-03-120W)
Power Consumption	120W(System Consumption is 120W, Power Supply consumption is 10W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	10800 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 10~12m pole street light
Warranty	5 years free replacement



TAIWAN EVERLIGHT 100LM/W	806,58 €
USA BRIDGELUX 100LM/W	1.008,42 €
USA CREE 110LM/W	1.210.07 €

PRICE

PRICE

PRICE

PRICE

- Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

LED CHIP BRAND

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-03-84W)
Power Consumption	84W(System Consumption is 84W, Power Supply consumption is 10W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	7560 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 8∼9m pole street light
Warranty	5 years free replacement



	TAIWAN EDISON 100LM/W	561,60 €
ı	USA CREE 110LM/W	844,97 €

LED CHIP BRAND

LED CHIP BRAND

LED CHIP BRAND

Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-03-126W)
Power Consumption	126W(System Consumption is 126W, Power Supply consumption is 10W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	11340lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 9~10m pole street light
Warranty	5 years free replacement



TAIWAN EDISON 100LM/W	783,62 €
USA CREE 110LM/W	1.266,46 €

- Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-03-210W)
Power Consumption	210W(System Consumption is 210W, Power Supply consumption is 20W)
Input Voltage	AC85~265V/DC24V
LED Initial Flux	18900 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 12~15m pole street light
Warranty	5 years free replacement



TAIWAN EDISON 100LM/W	1.286,25 €
USA CREE 110LM/W	1.974.89 €

- Comes with power saving mode to achieve the secondary energy-saving; External constant current drive with timer control, easy to operate, easy to maintain; Beautiful appearance, flowing lines;

	BRIF OF LED STREET LAM	P
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-04-40W)	
Power Consumption	40W(System Consumption is 40W, Power Supply consumption is 3W)	
Input Voltage	AC85~265V/DC12V	
LED Initial Flux	3600 lm	
Certificated	CE, RoHs	
Suggestion	We suggest to use in 5∼6m pole street light	
Warranty	5 years free replacement	L



LED CHIP BRAND USA BRIDGELUX 100LM/W

415.56 €

- Comes with power saving mode to achieve the secondary energy-saving; Beautiful appearance, flowing lines; External constant current drive with timer control, easy to operate, easy to maintain; Application:roads, squares, parks, gardens and other lighting Reasonable pole height:5-6M

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-04-60W)
Power Consumption	60W(System Consumption is 60W, Power Supply consumption is 4W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	5400 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 5∼7m pole street light
Warranty	5 years free replacement



LED CHIP BRAND USA BRIDGELUX 100LM/W

510,54 €

PRICE

- Comes with power saving mode to achieve the secondary energy-saving; Beautiful appearance, flowing lines; External constant current drive with timer control, easy to operate, easy to maintain; Application:roads, squares, parks, gardens and other lighting Reasonable pole height:6-7M

BRIF OF LED STREET LAM
LED Street Light, LED Street Lighting, LED Street Lamp(CN-05-60W)
60W(System Consumption is 60W, Power Supply consumption is 5W)
AC85~265V/DC12V
5400 lm
CE, RoHs
We suggest to use in 6∼7m pole street light
5 years free replacement



USA BRIDGELUX 100LM/W

LED CHIP BRAND

453,16 €

PRICE

PRICE

PRICE

PRICE

PRICE

- Comes with power saving mode to achieve the secondary energy-saving; Beautiful appearance, flowing lines; External constant current drive with timer control, easy to operate, easy to maintain; Application:roads, squares, parks, gardens and other lighting Reasonable pole height:6-7M

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-06-40W)
Power Consumption	40W(System Consumption is 40W, Power Supply consumption is 3W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	3600 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 5∼6m pole street light
Warranty	5 years free replacement



USA BRIDGELUX 100LM/W

LED CHIP BRAND

281,00 €

- Comes with power saving mode to achieve the secondary energy-saving; Beautiful appearance, flowing lines; External constant current drive with timer control, easy to operate, easy to maintain; Application:roads, squares, parks, gardens and other lighting Reasonable pole height:5-6M

BRIF OF LED STREET		BRIF OF LED STREET LAM	ΙP
	Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-07-40W)	
	Power Consumption	40W(System Consumption is 40W, Power Supply consumption is 3W)	N.
	Input Voltage	AC85~265V/DC12V	
	LED Initial Flux	3600 lm	
	Certificated	CE, RoHs	
	Suggestion	We suggest to use in 5∼6m pole street light	
	Warranty	5 years free replacement	



USA BRIDGELUX 100LM/W

LED CHIP BRAND

385,88 €

- Comes with power saving mode to achieve the secondary energy-saving; Beautiful appearance, flowing lines; External constant current drive with timer control, easy to operate, easy to maintain; Application:roads, squares, parks, gardens and other lighting Reasonable pole height:5-6M

LED CHIP BRAND

	BRIF OF LED STREET LAM
Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-08-40W)
Power Consumption	40W(System Consumption is 40W, Power Supply consumption is 3W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	3600 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 5∼6m pole street light
Warranty	5 years free replacement



USA BRIDGELUX 100LM/W

306,72 €

- Comes with power saving mode to achieve the secondary energy-saving; Beautiful appearance, flowing lines; External constant current drive with timer control, easy to operate, easy to maintain; Application:roads, squares, parks, gardens and other lighting Reasonable pole height:5-6M

BRIF OF LED STREET LAMP

LED CHIP BRAND

USA BRIDGELUX 100LM/W

374,00 €

Model No.	LED Street Light, LED Street Lighting, LED Street Lamp(CN-09-40W)
Power Consumption	40W(System Consumption is 40W, Power Supply consumption is 3W)
Input Voltage	AC85~265V/DC12V
LED Initial Flux	3600 lm
Certificated	CE, RoHs
Suggestion	We suggest to use in 5∼6m pole street light
Warranty	5 years free replacement



- Comes with power saving mode to achieve the secondary energy-saving; Beautiful appearance, flowing lines; External constant current drive with timer control, easy to operate, easy to maintain; Application:roads, squares, parks, gardens and other lighting Reasonable pole height:5-6M

	Ref.	Lumen	Ángulo	Watios	Altura	Garantía	Precio
THE STATE OF THE S	JL20	1400	120°/150°	20 W	3~5m	3 años	236,34 €
	JL30	2100	120°/150°	30 W	3~7m	3 años	324,47 €
	JL40	2800	120°/150°	40 W	3~7m	3 años	332,49 €
	JL50	3500	120°/150°	50 W	3~7m	3 años	460,66 €
	JL60	4200	120°/150°	60 W	4~7m	3 años	497,52€
	JL80	5600	120°/150°	80 W	5~9m	3 años	515,94 €
	JL100	7000	120°/150°	100 W	6~10m	3 años	549,60 €
	JL120	8400	120°/150°	120 W	6~10m	3 años	636,63 €
	JL150	10500	120°/150°	150 W	8~12m	3 años	677,45€
	JL180	12600	120°/150°	180 W	9~15m	3 años	1.074,04 €
	JL200	14000	120°/150°	200 W	9~18m	3 años	1.086,62 €

	Ref.	Garantía	Watios	Lumens	Precio
			20	1600	645,73 €
	Y-RL010		30	2400	708,22 € 749,88 € 874,86 € 926,94 €
			40	3200	749,88 €
	Y-RL011	3 años	50	4000	874,86 €
			60	4800	926,94 €
			70	5600	947,77 €
			80	6400	999,84 €
	Y-RL012		90	7200	1.031,09€
			100	8000	1.062,33 €
			120	9600	1.124,82 €

	Ref.	Garantía	Watios	Lumens	Precio
	Y-RL020		40	3200	1.218,56 €
			60	4800	1.343,54 €
60			80	6400	1.426,86 €
	Y-RL021		100	8000	1.676,82 €
	Y-RL022	3 años	120	9600	1.780,97 €
	I-KLUZZ	3 41105	140	11200	1.822,63 €
	V 51 000		160	12800	1.926,78 €
	Y-RL023		180	14400	1.989,27 €
	Y-RL024		200	16000	2.051,76 €
	I-NLU24		240	19200	2.176,74 €

	Ref.	Garantía	Watios	Lumens	Precio
	Y-RL030		60	4800	1.801,80 €
			90	7200	2.072,59 €
			120	9600	2.114,25 €
			150	12000	2.478,77 €
	Y-RL031	3 años	180	14400	2.645,41 €
			210	16800	2.707,90 €
			240	19200	2.864,13 €
			270	21600	2.957,86 €
	Y-RL032		300	24000	3.051,60 €
			360	28800	3.249,48 €

	Ref.	Garantía	Watios	Lumens	Precio	
			60	4800	1.801,80 €	
				90	7200	2.072,59 €
			120	9600	2.114,25 €	
			150	12000	2.478,77 €	
	V EI 002	3 años	180	14400	2.072,59 € 2.114,25 € 2.478,77 € 2.645,41 € 2.707,90 € 2.864,13 €	
	Y-FL002	3 ands	210	16800	2.707,90 €	
			240	19200	2.864,13 €	
			270	21600	2.957,86 €	
			300	24000	3.051,60 €	
			360	28800	3.249,48 €	